

APPENDIX D

FINISH SCHEDULE

ROOM NAME	FLOOR	COVE BASE 3/8" RADIUS	WALLS	CEILING
Kitchen/Cooking Area	Quarry tile, poured seamless, sealed concrete	4" quarry tile	Stainless steel; aluminum; ceramic tile	Plastic coated or metal clad fiberboard; dry-wall epoxy, glazed surface; plastic laminate
Kitchen/Food Preparation Area	Same as above plus commercial grade vinyl composition tile	4" ceramic tile	Same as above plus approved wall panel (FRP) fiberglass reinforced polyester panel; epoxy painted dry wall; filled block with epoxy paint or glazed surface	Same as above
Bar	Same as above	4" quarry tile or ceramic tile	Same as above for areas behind sinks	Meets building codes
Food Storage Area	Same as above plus sealed concrete, commercial grade vinyl composition tile or sheets	4" ceramic tile	Approved wall panels (FRP) fiberglass reinforced polyester panel; epoxy painted drywall; filled block with epoxy paint or glazed surface	Acoustic tile; painted sheetrock
Other Storage	Same as above	Same as above	Painted sheetrock	Same as above
Toilet Room	Quarry tile; poured sealed concrete; commercial grade vinyl composition tile or sheets	Continuous up to the walls, at least 4" forming an integral 3/8" minimum radius cove base	Approved wall panels (FRP) fiberglass reinforced polyester panel; epoxy painted drywall; filled block with epoxy paint or glazed surface	Plastic coated or metal clad fiberboard; drywall with epoxy; glazed surface; plastic laminate
Dressing Rooms	Same as above		Painted sheetrock	Same as above plus painted sheetrock
Garbage & Refuse Areas (Interior)	Quarry tile; poured seamless, sealed concrete; commercial grade vinyl composition tile or sheets		Same as above	Same as above

ROOM NAME	FLOOR	COVE BASE 3/8" RADIUS	WALLS	CEILING
Mop Service Area	Quarry tile; poured seamless, sealed concrete	4" ceramic tile or quarry tile or continuous sealed concrete at 3/8" radius base coving	Approved wall panels (FRP) fiberglass reinforced polyester panel; epoxy painted drywall; filled block with epoxy paint or glazed surface	Plastic coated or metal clad fiberboard; drywall with epoxy; glazed surface; plastic laminate
Warewashing Area	Quarry tile; poured seamless, sealed concrete; commercial grade vinyl composition tile or sheets	Continuous smooth epoxy flooring 4" up to the wall	Approved wall panels (FRP) fiberglass reinforced polyester panel; epoxy painted drywall; filled block with epoxy paint or glazed surface	Plastic coated or metal clad fiberboard; drywall with epoxy; glazed surface; plastic laminate
Walk-In Refrigerators & Freezer	Quarry tile; stainless steel; poured sealed concrete; poured synthetic	6" stainless steel cove base	Aluminum; stainless steel; enamel coated steel (or other corrosion resistant material)	Aluminum; stainless steel; enamel coated steel (or other corrosion resistant material)

Notes:

1. All floor coverings in food preparation, food storage, utensil-washing areas, walk-in refrigeration units, dressing rooms, locker rooms, toilet rooms and vestibules must be smooth, non-absorbent, easily cleanable and durable. Anti-slip floor covering may be used in high traffic areas only.
2. Any alternate materials not listed in the above chart must be submitted for evaluation.
3. There must be coving at base junctures that is compatible to both wall and floor coverings; provide at least 3/8 inch radius and 4 inches in height.